

料斗乾燥機

HOPPER DRYER



ISO 9001:2000 品質保證
An ISO 9001:2000
Certified Company

晏邦電機工業有限公司

YANN BANG ELECTRICAL MACHINERY CO.,LTD.

料斗乾燥機

HOPPER DRYER

STANDARD HOPPER DRYER(HD)

標準型料斗乾燥機



HD Series

加熱迅速，溫度均勻準確

Rapid Heating. Constand Temperature Control.



INSULATED HOPPER DRYER(IHD)

保温式料斗乾燥機

IHD Series

特殊筒身保溫設計，節省電力，預防燙傷。

Special insulated design

Energy saving

Save against burns



DUST FREE & INSULATED HOPPER DRYER(DHD)

下吹保温式料斗乾燥機



DHD Series

不怕粉屑、免除定期清理的麻煩

Insulated design. Dust-free, clean free

本機的標準配備包括計時器 (T)、防超溫保護器 (P)、專利視窗型磁鐵座 (NSD)。

The standard DHD model is equipped with timer (T), EGO overheat protector (P), and magnetic stand (NSD).

本公司產品榮獲多種獎項深受各方肯定
Our product has won many awards of machinery.



HD/IHD SPECIFICATIONS HD/IHD 規格表

MODEL	容量 公升 (L)	A	B	C	D	E	F	電力 ELECTRICITY		通用成型機 ADAPTABLE INJECTIONER
								電熱 HEATER	送風機 FAN MOTOR	
HD-12	28.12	825	620	295	115	□120	∅51	2kw	90W	1 oz
HD-25	52.60	967	715	385	125	□154	∅51	3kw	100W	3 oz
HD-50	92.21	1150	810	449	150	□160	∅61	3.9kw	140W	5~8 oz
HD-100	202.34	1395	1010	557	155	□205	∅90	7kw	350W	10~30oz
HD-200	372.66	1670	1160	752	210	□230	∅114	10kw	750W	30 oz up
HD-400	665.81	2043	1550	870	218	□320	∅114	20kw	1100W	60 oz up
HD-560	804.84	2543	1550	870	218	□320	∅114	20kw	1100W	60 oz up

單位：公厘 (mm)

DHD SPECIFICATIONS DHD 規格表

MODEL	容量 公升 (L)	A	B	C	D	E	F	電力 ELECTRICITY		通用成型機 ADAPTABLE INJECTIONER
								電熱 HEATER	送風機 FAN MOTOR	
DHD-12	28.20	825	620	295	115	□120	∅51	2kw	90W	1 oz
DHD-25	53.00	1027	715	385	185	□160	∅51	3kw	100W	3 oz
DHD-50	86.01	1185	810	449	185	□160	∅61	3.9kw	140W	5~8 oz
DHD-100	187.59	1417	1010	557	172	□225	∅77	7kw	350W	10~30oz
DHD-200	343.16	1650	1160	752	190	□225	∅105	10kw	750W	30 oz up
DHD-400	625.31	2043	1550	870	218	□320	∅114	20kw	1100W	60 oz up
DHD-560	742.34	2543	1550	870	218	□320	∅114	20kw	1100W	60 oz up
DHD-800	1399.71	3256	1550	870	218	□320	∅114	25kw	1100W	60 oz up
DHD-1000	1644.75	3606	1550	870	218	□320	∅114	28kw	1100W	60 oz up

以上為標準規格，若需更大機型，歡迎訂製 Customized specification are available upon early inquiry.

單位：公厘 (mm)

MOBILE STANDS 鐵架



規格表

	A	B	C	D
MFL 25	1697	860	560	730
MFL 50	1850	860	560	730
MFM 100	1850	820	820	450
MFM 200	2140	1060	1060	475
MFM 400	2470	1150	1150	450

單位：公厘 (mm)

本公司產品榮獲多種獎項深受各方肯定
Our product has won many awards of machinery.



PATENTED SIGHT GLASS MAGNETIC STANDS & MAGNETS/


Prevent Metal Contamination 專利視窗型磁鐵座+磁鐵 / 免除塞頭的煩惱



Y/O型磁鐵
SD-Y/O



五支磁鐵
MR-5



七支磁鐵
MR-7



九支磁鐵
MR-9

新式圓型磁鐵座除了免除塞頭的煩惱，更結合了吸料座的功能，可直接吸料。
Except prevent metal contamination, NSD also combines Suction Base Which can convey resin directly.



圓型磁鐵座
SD



方型磁鐵座
SC



新式圓型磁鐵座
NSD

SUCTION BASES(SCB) 吸料座



SCB-A Series



SCB-B1



SCB-B2

可將吸料座加裝於鐵架式料斗乾燥的下方，以利原料的輸送。

SCB is attached to the throat of the hopper dryers on stands to allow the dry material to be easily conveyed by auto loaders.


HEAT RECYCLERS

Time Saving & Higher Efficiency

熱風回收器

獨特的熱風回收器在管路中構成密閉循環，形成預熱效應，進而縮短加熱時間，提高熱效應，減少能源浪費，加強乾燥效果。

Unique Heat Recycler construtes a close cycle to make preheat effect which decreases heating time, but saves resource and drying efficiency.



DC

	A	B	C	D	E	F
DC-12	186	753	90	72	140	60
DC-25	186	753	90	70	140	60
DC-50	306	927	116	100	222	90
DC-100	313.5	1097	116	100	263	90
DC-200	375	1181	170	150	300	144

B 離心集塵設計，使塵埃不會隨風排出。
Cyclone design stops dust of resins from discharging to the outer place.

DUST COLLECTORS

Environment Protectors

集塵器 / 環保的利器



DF

	A	B	C	D
DF-12	172	642	90	72
DF-25	172	671	90	70
DF-50	172	851	116	100
DF-100	172	873	116	100
DF-200	236	892	172	150

特殊濾清器設計，可定期更換紙製濾清器，集塵效果更好。

Special paper filter design. Even better dust collecting result than traditional dust collectors.



晏邦電機工業有限公司

YANN BANG ELECTRICAL MACHINERY CO.,LTD.

台灣總公司:411台中縣太平市工業20路26號(大里工業區) TEL:886-4-22716999 FAX:886-4-22711988
Head Office:26,Industry 20th Road,Taiping City,Taichung,Taiwan 411
台南分公司:709台南市安南區工明三路28號 TEL:06-2463333 FAX:06-2464021
新竹分公司:303 新竹縣湖口鄉湖中路286號 TEL:03-5696600 FAX:03-5696611
大陸關係企業:中國廣東省東莞市常平鎮漱新管理區 TEL:0769-3982966 FAX:0769-3396871
WEB SITE:<http://www.yannbang.com> E-MAIL:yb@yannbang.com